

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	5189	711/106,130,141,147-152,168,210;710/56.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 10:03
S2	23357	buffer same (allocat\$3 assign\$3 access\$3) same (method scheme system polic\$3 factor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 16:47
S3	143163	detect\$5 same avoid\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 16:47
S5	1400	((lock (block near3 access)) with record) and ((lock (block near3 access)) with block)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 17:10
S6	9	S1 and S2 and S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 17:10
S7	3	S1 and S2 and S5 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 17:28
S8	179087	(track\$3 same (updat\$3 chang\$3 coheren\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 17:33
S9	3	S6 and S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/21 17:33

S10	22	(detection-based (detection near3 based)) same (avoidance-based (avoidance near3 based))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 09:23
S13	6649	711/106,112,130,141,147-152,168, 210;710/56.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 09:26
S15	23382	buffer same (allocat\$3 assign\$3 acess\$3) same (method scheme system polic\$3 factor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 10:07
S16	179297	(track\$3 same (updat\$3 chang\$3 coheren\$5))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 09:27
S17	104	S11 and S15 and S16	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 10:59
S18	17309	(detection-based or (detection near3 based) or detection) with (coherency scheme policy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 09:49
S19	85	S18 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 09:37
S20	2	S17 and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 09:37

S21	741	(avoidance-based or (avoid\$5 near3 based) or avoidance) with (coherency scheme policy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 09:50
S22	5194	S13 and S11	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 09:50
S23	20	S13 and S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 09:50
S25	93691	(lock block) with (access\$3) with (memory location buffer record block space area storage entr\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 10:10
S26	223821	(memory storage location entry buffer) same (allocat\$3 deallocat\$3 assign\$3 acess\$3) same (method scheme system polic\$3 factor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 10:11
S27	1337	S25 and S26 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 10:11
S28	23429	(buffer) same (allocat\$3 deallocat\$3 assign\$3 acess\$3) same (method scheme system polic\$3 factor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 10:11
S29	315	S25 and S28 and S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 10:11

S30	128957	(lock\$3 block\$3) with (mode scheme polic\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 12:08
S31	105	S29 and S30	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 10:46
S32	57031	(interwork (work near3 together) concurrent\$3 simultaneous\$3) with (scheme polic\$3 mode)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 12:08
S33	20	S31 and S32	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 10:18
S34	29	S31 and S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 10:59
S35	438	710/56.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 10:46
S36	12	S35 and S30 and S28	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 10:54
S38	0	S17 and S31 and S35	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 11:00

S39	21	(US-20040068620-\$ or US-20030196047-\$).did. or (US-5175837-\$ or US-5247672-\$ or US-5737536-\$ or US-5867686-\$ or US-6108752-\$ or US-6154816-\$ or US-6122714-\$ or US-6732124-\$ or US-6463503-\$ or US-6918015-\$ or US-6842847-\$ or US-6829762-\$ or US-6829698-\$ or US-6633960-\$ or US-6101588-\$ or US-5875468-\$ or US-5537574-\$ or US-5493668-\$ or US-5408653-\$).did.	US-PGPUB; USPAT	OR	ON	2005/12/22 12:12
S40	21	(buffer lock\$3 block\$3) and (allocat\$3 deallocat\$3 assign\$3 acess\$3) same (method mode scheme system polic\$3 factor) and (track\$3 updat\$3 chang\$3 coheren\$5) and (memory location buffer record block space area storage entr\$3) and S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 12:12
S41	21	(buffer lock\$3 directory block\$3) and (allocat\$3 deallocat\$3 assign\$3 acess\$3) same (method mode scheme system polic\$3 factor) and (track\$3 updat\$3 chang\$3 coheren\$5 modif\$6) and (memory location buffer record block space area storage entr\$3) and S39	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 12:28
S42	4	"5327556".PN. "5546579".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 12:28
S43	0	S39 and S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 12:27
S44	24	(US-20040068620-\$ or US-20030196047-\$).did. or (US-5175837-\$ or US-5247672-\$ or US-5737536-\$ or US-5867686-\$ or US-6108752-\$ or US-6154816-\$ or US-6122714-\$ or US-6732124-\$ or US-6463503-\$ or US-6918015-\$ or US-6842847-\$ or US-6829762-\$ or US-6829698-\$ or US-6633960-\$ or US-6101588-\$ or US-5875468-\$ or US-5537574-\$ or US-5493668-\$ or US-5408653-\$ or US-5546579-\$ or US-5327556-\$).did. or (US-5546579-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/12/22 13:57

S45	23	(buffer lock\$3 directory block\$3) and (allocat\$3 deallocat\$3 assign\$3 access\$3) same (method mode scheme system polic\$3 factor) and (track\$3 updat\$3 chang\$3 coheren\$5 modif\$6) and (memory location buffer record block space area storage entr\$3) and S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 16:40
S46	59	(concurrency coheren\$3) with (database near4 shar\$3)	US-PGPUB; USPAT; DERWENT	OR	ON	2005/12/22 14:29
S47	6649	711/106,112,130,141,147-152,168,210;710/56.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 14:29
S48	8	S46 and S47	US-PGPUB; USPAT; DERWENT	OR	ON	2005/12/22 14:30
S49	9	("20040225742" "5285528" "5410697" "5454108" "5551046" "5596754" "5682537" "6353836" "6668295").PN. OR ("6965893").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/22 16:19
S50	29	(US-20040068620-\$ or US-20030196047-\$).did. or (US-5175837-\$ or US-5247672-\$ or US-5737536-\$ or US-5867686-\$ or US-6108752-\$ or US-6154816-\$ or US-6122714-\$ or US-6732124-\$ or US-6463503-\$ or US-6918015-\$ or US-6842847-\$ or US-6829762-\$ or US-6829698-\$ or US-6633960-\$ or US-6101588-\$ or US-5875468-\$ or US-5537574-\$ or US-5493668-\$ or US-5408653-\$ or US-5546579-\$ or US-5327556-\$ or US-6353836-\$ or US-5596754-\$ or US-6965893-\$ or US-5918229-\$ or US-5551046-\$).did. or (US-5546579-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/12/22 16:40
S52	27	(buffer lock\$3 directory block\$3) and (allocat\$3 deallocat\$3 assign\$3 access\$3) same (method mode scheme system polic\$3 factor) and (track\$3 updat\$3 chang\$3 coheren\$5 modif\$6 concurren\$3) and (memory location buffer record block space area storage entr\$3) and S50	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 09:25

S53	2	S50 not S52	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/22 16:42
S54	1968	((avoidance avoid invalidat\$3) same (conheren\$3 concurren\$3)) and ((detect\$3 counter broadcast\$3) same (conheren\$3 concurren\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 09:12
S55	6649	711/106,112,130,141,147-152,168,210;710/56.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 08:46
S56	56	S54 and S55	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 08:46
S57	4403	((avoidance avoid lock\$3 invalidat\$3) same (conheren\$3 concurren\$3)) and ((detect\$3 counter broadcast\$3) same (conheren\$3 concurren\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 09:13
S58	88	S55 and S57	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 09:12
S59	580	((avoidance avoid lock\$3 invalidat\$3) with (conheren\$3 concurren\$3)) and ((detect\$3 counter broadcast\$3) with (conheren\$3 concurren\$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 09:13
S60	26	S55 and S59	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 09:13

S61	21	("5077658" "5129088" "5161227" "5175852" "5202971" "5247664" "5247672" "5404511" "5454108" "5551023" "5805809" "5819276" "5940841" "5948062" "5950199" "5953720" "5956745" "6275823" "6324581" "6360219" "6442564"). PN. OR ("6826570").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/23 09:18
S62	32	(US-20030196047-\$ or US-20040068620-\$ or US-20050160230-\$).did. or (US-5175837-\$ or US-5247672-\$ or US-5327556-\$ or US-5408653-\$ or US-5493668-\$ or US-5537574-\$ or US-5546579-\$ or US-5551046-\$ or US-5596754-\$ or US-5737536-\$ or US-5867686-\$ or US-5875468-\$ or US-5918229-\$ or US-6101588-\$ or US-6108752-\$ or US-6122714-\$ or US-6154816-\$ or US-6353836-\$ or US-6463503-\$ or US-6633960-\$ or US-6732124-\$ or US-6829698-\$ or US-6829762-\$ or US-6842847-\$ or US-6918015-\$ or US-6965893-\$).did. or (US-6862635-\$ or US-6826570-\$). did. or (US-5546579-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/12/23 09:25
S63	30	(buffer lock\$3 directory block\$3) and (allocat\$3 deallocat\$3 assign\$3 acess\$3) same (method mode scheme system polic\$3 factor) and (track\$3 updat\$3 chang\$3 coheren\$5 modif\$6 concurren\$3) and (memory location buffer record block space area storage entr\$3) and S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/12/23 10:02
S64	30	(buffer lock\$3 directory block\$3) and (allocat\$3 deallocat\$3 assign\$3 acess\$3) same (method mode scheme system polic\$3 factor) and (track\$3 updat\$3 chang\$3 coheren\$5 modif\$6 concurren\$3) and (buffer record block entr\$3) and S62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 14:08
S67	6	"5327556".pn. "5546579".pn. "5551046".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 10:52
S68	3	(detect\$4 avoid\$5) and S67	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/01/03 15:48

S70	55	("4698752" "4965719" "5161227" "5191652" "5220657" "5226143" "5237694" "5276835" "5301290"). PN. OR ("5551046").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/03 11:17
S71	38	("4096561" "4965719" "5247672" "5276835" "5276872" "5280611" "5287473" "5287521" "5333303"). PN. OR ("5546579").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2006/01/03 10:54